



INDEX MAPS.

T. 3N R. 1W 2nd Mer.



T. 4N R. 1W 2nd Mer.



The figures on the lines refer to the page.

Township N. 4 Range N. 1 West 2nd Mer

North Between Sec. 35 & 36 T. N. 4 R. N. 1 W.

40.00 Set a post for cor. to $\frac{1}{4}$ sec from which a
YBuck 18 in dia bears S 11 E. 28 links dist; & a
Logwood 11 " " " S 11 E 19 " "

45.05 To a W. Oak 20 in dia stands on the line

80.40 Set a post for cor. to Sec. 25, 26, 35, & 36 T. N. 4
R. N. 1 W. from which a W. Oak 13 in dia
bears N 37 E. 21 links dist; & a do 10 " "
" S 18 E. 23 " " Sand & Yew; Timber
Oak, & YBuck

East On Random line between Sec. 25 & 36 T. N. 4 R. N. 1 W.

40.00 Set a temporary post for cor. to $\frac{1}{4}$ sec

80.47 Intersected Range line South of Sec. cor. 25 & 36
Sand & timber Same

West On True line between Sec. 25 & 36 T. N. 4
R. N. 1 W. 2nd Mer

40.20 Set the temporary post at aver. dist on true line
for cor. to $\frac{1}{4}$ sec from which a W. Oak 12 in dia
bears S 34 W. 23 links dist; & a do 12 " "
" S 62 E. 20 " "

80.40 To the post set for cor. to Sec. 25, 26, 35, & 36
T. N. 4 R. N. 1 W.

North Between Sec. 25 & 26 T. N. 4 R. N. 1 W.

40.00 Set post for cor. to $\frac{1}{4}$ sec from which a W. Oak
10 in dia bears S 22 W. 13 links dist;

80.00 Set a post for the cor. to Sec. 23, 24, 25, 26
T. N. 4 R. N. 1 W. from which a W. Oak 10
in dia bears N 63 E. 27 links dist; & a do 20
" " S 87 W. 22 " "

Sand thin and very brushy and the brush
brake by birch and vines;

East On a Random line between Sec. 24 & 25.

T N^o 4 N R N^o 177 2nd Mer. Ind.^aT N^o 4 N R N^o 177

- 40.00 Set a temporary post for cor to 1/4 sec
 80.10 Intersected N & S line 10 links North of the
 post set for cor to sec. 24 & 25 on the R. line
 Lands very brushy; timber Oak.

West Between Sec. 24 & 25 On true line. T N^o 4 N R N^o 177

- 40.05 Set temporary post at aver. dist; on true line
 for cor to 1/4 sec from which a N. Oak 18 in dia
 bears East 45 links dist; & a L. O 13 - -
 - N 61 W 32 - - -
 80.70 To the post set for the cor to sec. 23, 24, 25 &
 26 T N^o 4 N R N^o 177.

North Between Sec. 23 & 24 T N^o 4 N R N^o 177

- 40.10 Set a post for cor to 1/4 sec from which a
 N Oak 6 in dia bears S 23 E. 27 links dist; &
 W Oak 7 - - - S 34 W 40 - - -
 80.00 Set a post for cor to sec. 13, 14, 23, & 24
 T N^o 4 N R N^o 177 from which a N. Oak
 24 in dia bears N 85 W. 20 links dist; & L. O
 6 - - - N 83 E. 12 - - -
 Lands timber &c same as the last mile

East On a Random line between Sec. 13 & 24
T N^o 4 N R N^o 177

- 40.00 Set temporary post for cor to 1/4 sec
 68.50 To a corner 12 1/2 mile corner N. E.
 79.80 Intersected N & S line 20 links N. of sec 3 cor
 for 13 & 24 on the R. line.
 Lands and Co. forth same as the last mile

West Between Sec. 13 & 24 On true line T N^o 4
N R N^o 177. 2nd Mer.

- 39.90 Set temporary post at aver dist on true line for.

T N^o 4 N.R. N^o 177. 2nd Mer Ind^a.

cor to 74 sec from which a W Oak 20 in dia.
beams W 28 36 timber chest; & a L^o 7 in
~ N 78 E 62 in ~
79.80 To the post for cor to sec 13, 14, 23, 124

North Between Sec^s 13 & 14 T N^o 4 N.R. 177.

40.00 Set a post for cor to 74 sec from which a
Quercus 6 in dia beams N 37 W. 3 timber chest;
W Oak 12 in ~ ~ N 36 E. 20 in ~
58.40 To a B Oak 12 in dia beams on the line
86.00 Set a post for the cor to sec. 11, 12, 13, & 14 T N^o
4 N.R. N^o 177. From which a Poplar 12 in dia
beams East 9 timber chest; & a L^o 10 in ~
~ S 76 W 26 in ~ Sands bushy Timber
same

East Between Sec^s 12 & 13 On a Random line

40.00 Set a tumpy post for cor to 74 sec
79.94 Intersected N.S. line 50 timber N of sec cor
for 12 & 13. T N^o 4 N.R. N^o 177
Timber, Sands & same

West Between Sec^s 12 & 13. On true line

39.97 Set tumpy post at aver. chest; on true line for
cor to 74 sec from which a Log more 6 in dia
beams S 57 W. 10 the chest; & a W Oak 7 in ~
~ N 84 E. 14 in ~
79.94 To sec 10

North Between Sec^s 12 & 15. T N^o 4 N.R. N^o 177.

13.25 To a W Oak 20 in dia stands in the line
40.00 Set a post for cor to 74 sec from which a W Oak
12 in dia beams S 39 E 11 timber chest; & a W Oak
6 in ~ ~ N 10 E 13 in ~
72.14 To a Sugar 8 in dia stands for cor to sec.
12 & 13 on the River Sands & same

T N^o 4 N R N^o 177. Dnd Mer. Ind^a

North Between Sect. 34 & 35 T N^o 4 N R N^o 177
 40.00 Set a post for cor to $\frac{1}{4}$ sec from which a
 Hognork 6 in dia bears S 6 E. 24 like dist
 W Oak 8 " " " S 26 E 33 " "
 80.00 Set a post for cor to Sect. 26 & 27, 34 & 35
 from which a W Oak 40 in dia bears S 84 W
 30 like dist; & a Hickory 20 " " " N 44 E
 19 " " Lands Wily timber Oak &
 Hickory very bushy

East Between Sect. 26 & 35 On Random line
 40.00 Set a temp^y post for cor to $\frac{1}{4}$ sec
 80.00 Intersected N & S line at the post set for
 to Sect. 25, 26, 35 & 36 T N^o 4 N R. N^o 177

West On true line between Sect. 26 & 35.
 40.00 Set temp^y post at aver. dist for cor to $\frac{1}{4}$ sec
 on true line from which a Hickory 26 in dia
 bears N 22 E. 8 like dist; & W Oak 20 " "
 " Sy 2 W. 26 " "
 80.00 Set a post for cor to Sect. 26, 27, 34 & 35

North Between Sect. 26 & 27 T N^o 4 N R N^o 177
 40.00 Set a post for cor to $\frac{1}{4}$ sec from which a
 W Oak 18 in dia bears East 59 like dist;
 80.00 Set a post for cor to Sect. 22, 23, 26, & 27
 from which a Hognork 8 in dia bears
 N 85 E. 15 like dist; & a W Oak 10 in dia
 bears N 82 W 29 like dist; Lands Rolling
 Timber Oak & Hickory

East On a Random line between Sect. 23 & 26.
 40.00 Set a temp^y post for cor to $\frac{1}{4}$ sec
 80.00 Intersected N & S line 12 like South of
 post set for cor to Sect. 23, 24, 25, & 26. T
 N^o 4 N R. N^o 177.

T^o No 4 N.R. No 17th. 2nd Mer. Ind.^o

Resum

West On true line between Sec. 23. & 26 T^o No 4 N.R. No 17th
 40.00 Set the temporary post at the aver. dist. on true line for cor
 to $\frac{1}{4}$ sec from which a Gum 8 in dia bears S 44 E
 11 links dist; and a Do 8 " " " S 46 W
 15 " "
 80.00 To the post set for the cor to Sec. 22, 23, 26 & 27

North Between Sec. 22, & 23 T^o No 4 N.R. No 17th
 40.00 To a W Oak 18 in dia stands in the line.
 40.00 Set a post for the cor to $\frac{1}{4}$ sec from which a
 W Oak 18 in dia bears S 86 W 33 links dist; & a
 Dogwood 7 " " " N 77 E. 36 " "
 80.00 Set a post for cor to Sec. 14, 15, 22, & 23. T^o No 4
 N.R. No 17th from which a Poplar 20 in dia bears
 S 45 E 8 links dist; and a Hickory 18 " " "
 S 27 W 31 " " " Same as the last mile

East On a Random line between Sec. 14 & 23 T^o No 4 N.R. No 17th
 40.00 Set a temporary post for cor to $\frac{1}{4}$ sec
 80.20 Intersected N 45 line 17 links East of the post
 Set for cor to Sec. 13, 14, 23. & 24 T^o No 4 N.R. No 17th
 Same timber & same as the last mile.

West On true line between Sec. 14 & 23 T^o No 4 N.R. No 17th
 40.10 Set the temporary post at the aver. dist on true line for
 cor to $\frac{1}{4}$ sec from which a Gum 10
 in dia bears N 10 W 15 links dist; & a W Oak 12
 " " " N 37 E. 18 " "
 80.20 To the post set for the corner to Sec. 14, 15, 22. & 23

North Between Sec. 14 & 15 T^o No 4 N.R. No 17th
 40.00 Set a post for cor to $\frac{1}{4}$ sec from which a Gum 11
 in dia bears S 31 E. 9 links dist; and an Oak 12
 " " " N 69 W 16 " "
 80.00 Set a post for the cor. to Sec. 10, 11, 14, & 15 T^o No
 4 N.R. No 17th from which a Poplar 12 in dia bears

T^N 4 N^R N^o 17ⁿ 2nd Mer. Ind^a.

bears West 21 links dist; under Poplar 24
in dia bears N56 E 25 links dist;
Lands timber and soil the same as the last mile

East Between Sect 11 & 14 On Random line T^N 4 N^R N^o 17ⁿ 2nd Mer.

27.5 To a Brook 10 links wide; course North
40.00 Set a temp^y post for the cor to 1/4 sec
80.50 Intersected the N. & S line 18 links North of the
post set for the cor. to Sect. 11, 12, 13 & 14 T^N 4 N^R
N^o 17ⁿ Lands timber and soil same as the last mile

West On true line between Sect. 11 & 14. T^N 4 N^R N^o 17ⁿ

40.00 Set temp^y post at the aver dist for cor to 1/4 sec
on true line from which a Dogwood 8 in dia
bears S20 W. 3 links dist; tall 10 n
" N20 E 3 n

80.00 To the post set for the cor to Sect 14, 15, 22 & 23
T^N 4 N^R N^o 17ⁿ.

North Between Sect 10 & 11 T^N 4 N^R N^o 17ⁿ

9.00 To a Brook 10 links wide; course N.W.

21.75 To a " 5 n " West.

40.00 Set a post for cor to 1/4 sec from which a
Red Bud 7 in dia bears N6 E 36 the dist; tall
N Walnut 10 n " N73 W 20 n "

80.00 Set a post for the cor to Sect 2, 3, 10, 11 T^N 4
N^R N^o 17ⁿ from which a Buck 9 in dia
bears N84 E. 43 links dist; tall 20 n
" S84 W 36 n " Lands Rolling; Timber
in Oak, Hickory and Poplar.

East Between Sect 2 & 11 T^N 4 N^R N^o 17ⁿ On Random

27.50 To a Brook 10 links wide; course N.

40.00 Set a temp^y post for the cor to 1/4 sec } Erroneous

73.72 Set a post for the cor to Sect 2 & 11.

T^N 4 N^R N^o 1^W. 2nd Mer. (Indiana)East Betwan Sec. 2 & 11 T^N 4 N^R N^o 1^W.

27.50 To a Brook 10 links wide; Census A

40.00 Set a post for the cor to $\frac{1}{4}$ Sec. 2 & 11 from which a
Hogwade 6 in dia bears N 38 E. 20 links dist; & a
Sugar 10 " " " S 29 E. 11 " "73.70 Set a post for the cor to Sec. 2 & 11 in the "Banks
of W. River from which a Sugar 10 in dia bears S 29
E 9 links dist; & a W. Oak 11 " " " N 28
W 10 " " " Sande timber & soil the same as the last
mileNorth Betwan Sec. 2, 13. T^N 4 N^R N^o 1^W.

16.45 To a Buck 10 in dia stands on the line

40.00 Set a post for the cor to $\frac{1}{4}$ Sec from which a
Maple 9 in dia bears S 82 W. 21 links dist; & a
Elm 7 " " " N 18 W 4 " "47.00 Set a post for the cor to Sec. 2 & 13 T^N 4 N^R
N^o 1^W. in the "Bank of W. River from which a
Buck 10 in dia bears S 85 E. 7 links dist; & a
H^o 20 " " " S 17 W 38 " "
Sande. mix sand rolling; Timber Poplar, Ash, &
Sugar.North Betwan Sec. 33 & 34 T^N 4 N^R N^o 1^W40.00 Set a post for the cor to $\frac{1}{4}$ Sec from which a
Hogwade 6 in dia bears N 10 E. 44 links dist; & a
Poplar 8 " " " N 67 E. 34 " "80.00 Set a post for the cor to Sec. 27, 28, 33, & 34 T^N
4 N^R N^o 1^W. from which a W Oak 15 in dia bears
S 26 E. 25 links dist; & a Hick^y 10 " " "
N 41 W 15 " " " Sande Heibly mudo brushy
Timber Oak, & Hick^yEast Betwan Sec. 27 & 34 T^N 4 N^R N^o 1^W On Mon.40.00 Set temporary post for cor to $\frac{1}{4}$ Sec80.05 Intersected N^o 5 line at the post set for the cor

T. N^o 4 N.R. N^o 177. 2nd Mer. (Ind.)

to Sec. 26, 27, 34 & 35 T. N^o 4 N.R. N^o 177.

Land, soil, timber undergrowth to same as last mile

West On true line between Sec. 27 & 34 T. N^o 4 N.R. N^o 177. 2nd Mer

40.25 Set the temporary post at the avr. dist; on true line for cor to 1/4 sec from which a Buck 12 in dia bears N 10 W. 12 links dist; and a Buck 15 " " " S 86 E. 20 " "

80.05 To the post set for the cor to Sec. 27, 28, 33 & 34

North Between Sec. 27 & 28 T. N^o 4 N.R. N^o 177

40.00 Set a post for cor to 1/4 sec from which a Buck 12 in dia bears N 77 W. 25 links dist; and an Elm 10 " " " N 26 E. 17 " "

56.95 To a Buck 10 in dia staked in the line.

80.00 Set a post for the cor to Sec. 27, 28, 33 & 34 from which a Dogwood 6 in dia bears N 48 E 2 links dist; & a Gum 7 " " " S 36 W. 16 " "
Land timber to same as the last mile

East On Random line between Sec. 22, & 27 T. N^o 4 N.R. N^o 177.

40.00 Set a temporary post for cor to 1/4 sec

80.10 Intersection N & S line 8 links North of Cor to Sec. 22, 26, 23, & 27. Land timber soil and undergrowth same as the last mile.

West On a true line between Sec. 22, & 27 T. N^o 4 N.R. N^o 177.

40.05 Set the temporary post at avr. dist on true line for cor to 1/4 sec from which a Buck 18 in dia bears S 9 E 9 links dist; and a Do 12 " " " S 87 E 43 " "

80.10 To the post set for the cor to Sec. 22, 23, 28, & 27

North Between Sec. 21 & 22 T. N^o 4 N.R. N^o 177

40.00 Set a post for the cor to the 1/4 sec from which a Dog

T. N. 4 N. R. No 17. 2nd Mer. Ind. a

- woods 6 in dia bears S 21 E 36 feet apart & a
 Poplar 9 in " " S 16 W 34 in "
 80.00 Set a post for the cor to Sec. 15, 16, 21, & 22 from which
 a Buck 12 in dia bears N 8 E 11 linked with; under also
 24 in " " S 54 E 26 in "
 Same timber soil & c same as the last mile

East On a Random line between Sec. 15 & 22. T. N. 4 St.
 N. N. 17

- 40.00 Set a temporary post for the cor to 1/4 sec
 80.00 Intersected the N & S line 12 links S. of the post set for
 the Cor. to Sec. 14, 15, 22, & 23 Same timber soil & c
 same as the last mile.

West On the true line between Sec. 15 & 22 T. N. 4 N. R. 17

- 40.00 Set temporary post at the corner dish; on the true line for cor
 to 1/4 sec from which a Buck 12 in dia bears N 18 W.
 20 linked with; under a Gallspruce 6 in " " N 62 E
 17 in "
 80.00 To the post set for the cor to Sec. 15, 16, 21, & 22,

North Between Sec. 15 & 16 T. N. 4 N. R. No 17.

- 40.00 Set a post for the cor to 1/4 sec from which a W. Oak 10
 in dia bears N 16 E. 11 linked with; under a Hogshead
 7 in " " S 15 E 19 in "
 53.00 To a W. Oak 17 in dia stands in the line
 80.00 Set a post for the cor to Sec. 9, 10, 15, & 16 T. N.
 4 N. R. No 17. from which a W. Oak 12 in dia bears
 N 84 W. 28 linked with; under a W. Oak 18 in " "
 N 38 E 27 in " Same timber soil & undergrowth
 the same as the last mile

East Between Sec. 15 & 10 On a Random line T. N. 4 N. R. No 17

- 40.00 Set a temporary post for cor to 1/4 sec
 80.00 Intersected the N & S line 12 links South of the post
 set for the Cor. to Sec. 10, 11, 14, 15. Same timber soil

T. N. 4 N. R. N. 177 2nd Mer
to the same as the last mile;

West On true line between Sec. 15 & 10 T. 4 N. R. N. 177
40.00 Set the temporary post at the avor. dish; on true line for
the cor to the 74 sec from which a W. Walnut 10 in
dia bears S 73° W 38 links dish; under Hook 8 -
S 72° E 17 - -
80.00 To the post set for the cor to Sec. 15, 16, 9, 10.

North Pitman Sec. 9 & 10 T. N. 4 N. R. N. 177.
40.00 Set a temporary post for the cor to 74 sec from which
a W. Oak 20 in dia bears N 12° W. 21 links dish; & a
Log made 6 - - - S 77° E. 6 - -
80.00 Set a post for the cor to Sec. 3, 4, 9, & 10 T. N. 4 N. R.
N. N. 177 from which a Buck 10 in dia bears S 65° E
26 links dish; under a Poplar 10 - - - N 19° E.
24 - - - Under Healy timber Oak, under Hook

East Pitman Sec. 3 & 10 On a Random line T. 4 N. R. N. 177
40.00 Set a temporary post for cor to 74 sec
60.00 To a Birch 10 links wide; across St.
80.00 Intersected the St. S line South of sec cor. to Sec
2, 3, 10, 11

West On true line between Sec. 3 & 10 T. N. 4 N. R. N. 177
40.00 Set the temporary post at the avor. dish; on true line for the
cor to 74 sec from which a W. Oak 20 in dia bears
N 42° E. 9 links dish; under Gum 9 - - -
S 57° W 22 - -
80.00 To the post set for the cor of Sec. 3, 4, 9 & 10

North Pitman Sec. 3 & 4 T. N. 4 N. R. N. 177
40.00 Set a post for the cor to 74 sec from which a W. Oak
20 in dia bears South 100 links dish
70.00 To a W. Oak 20 in dia stands on the line
79.00 Intersection North Boundary of Town N. 4 N. R. N.

T^N. 4 N^R N^o 177. 2nd Mer Ind.

22 links West of the post set for the cor to Sec. 314
from which a Mulberry 10 in dia bears S86W 20 links
west of a Log nose 6 in dia S32E 14 in
Land soil and timber the same as the last mile

North Between Secs. 32 & 33 T^N. 4 N^R N^o 177

40.00 Set a post for the cor to 1/4 sec from which a Gum 10
in dia bears S43W 10 links dist; and a W Oak 18
in dia S81E 25 in

80.00 Set a post for the cor of sec. 28, 29, 32, & 33.
from which a Hickory 20 in dia bears N55E 3 links
dist; and a W Oak 20 in dia S55W 15 in
Land very brushy and covered with Gambusia
Timber Oak, &c

East On a Random line Between Secs. 28 & 33 T^N. 4 N^R N^o 177

40.00 Set a temporary post for cor to 1/4 sec

80.00 Intersection N45 line 8 links South of the post set
for the cor. for sec. 27, 28, 33, & 34.
Land timber soil and so forth the same as the last mile

West On true line between Secs. 28 & 33 T^N. 4 N^R N^o 177

40.00 Set the temporary post at the avor. with on true line for
cor to 1/4 sec from which a Log nose 6 in dia bears
S82W 38 links dist; and a W Oak 6 in dia
S58E 12 in

80.00 To the post set for the cor to sec. 28, 29, 32, & 33

North Between Secs. 28 & 29 T^N. 4 N^R N^o 177

29.80 To a W Oak 12 in dia set under in the line

40.00 Set a post for cor to 1/4 sec from which a Log nose 7
in dia bears S33E 12 links dist; and a W Oak 12
in dia S76W 14 in

80.00 Set a post for cor to sec. 20, 24, 28, & 29 T^N. 4 N^R
N^o 177 from which a W Walnut 7 in dia bears
S78E 29 links dist; and a Sugar 7 in dia

T^o 4 G. R. M. 17. 2nd Mar

bears N 24 E. 10 miles dist; Sande timber Soil
undergrowth the same as the last mile.

East On a Random line between Loc 21.128 IN 4 NCR 17m

40.00 Put a temp. gage for circ. to $\frac{1}{4}$ in

80.19 Interssected the N.S. line 12 miles North of the junction for the car to locs 21, 22, 27, & 28. T.N. 4 N.R. N. 1 W. Sande timber soil &c same as the last mine

West Britain Sep. 21. & 28 On train line T. N. 4 N.P. N. 17 m.

40.09p Let the temp. \uparrow fast at the arbor. dist; on true line for cor.
to 74 sec from which a Sugar 10 m dia bears N34E18
strike dist; under a Walnut 7 ft x 2 S63W7

80.19 To the first set for the cr to Sep. 20, 21, 27, & 28

North Between Sep. 20. & 21 J N^o 4 NR N^o 172

40.00 Set the post for cor to $\frac{1}{4}$ sec from which a
V.B. Oak 12 in diam bears N 22 E. 12 links dist. & a
Log made 6 u u u N 42 W 28 u u

8000 Got a post for the cor to Sept 16, 17, 20, & 21. 5 PM
4 AM. No. 17. From which a 73 Wab at 10 in
our lines N38W 29 limbs out; & at 11 each 18 in
a ~ S32E. 19 in ~
Sand & timber soil & same as the last mile

East of Hammond line between Sec. 16 & 21 T¹N. 4. N. R. 17E.

40.00 Substamping just for cr to 1/4 sec

80.15 Intersected the A & S line 20 miles South of the last
 just set for the cor. 15, 16, 21, 22. 27.4 N. & N. R. to
 1 W. Same timber and soil as same as the last.
 mile

West Between Gt. 16021 On Iron line J. N. 4 N. R. No.
17.

40.072 Set the temp. just at the wcr. dist; on true line.

T. No 4 N.R. No. 17. Grade Run.

for the cor to 1/4 sec from which a Log woods 7 m
in bears S 87 W 32 links dist; & a 20 7 m
" " N 3 E 19 " "

North Between Sec 16, 17 T. No 4 N.R. No 17.
35.47 To a W Oak 20 m in stands in the line
40.00 Set a post for the cor to 1/4 sec from which a Log woods
7 m in bears N 89 E 16 links dist; & a 20
7 m " " N 55 W 24 " "
80.00 Set a post for the cor to Sec. 8, 9, 16, & 17 T. No.
4 N.R. No. 17 from which a W Oak 18 m in bears
N 68 E. 24 links dist; under Gum 10 m " "
N 59 W 38 " "

East Between Sec 16 & 9 Oak Run line T. No 4 N.R. 17.
140.00 Set a temporary post for the cor to 1/4 sec
149.90 Intersection the N 15. line 12 links N. of the cor.
Cor for to 9, 10, 15 & 16 Land sec & c same as
the last one

West On true line between Sec 9 & 16 T. No 4 N.R. No 17.
39.95 Set the temporary post at the aver. dist. on true line for cor
to 1/4 sec from which a Poplar 12 m in bears N 70
W 12 links dist; under Beech 7 " " " N 46
W 15 " "
149.90 To the post set for the cor to Sec 8, 9, 16 & 17

North Between Sec 8 & 9 T. No 4 N.R. No. 17.
19.20 To a Poplar 30 m in stands in the line.
140.00 Set a post for the cor to 1/4 sec from which a W Oak
20 m in bears S 63 W. 17 links dist; under a Log woods
7 m " " S 42 E. 10 " "
80.00 Set a post for the cor to Sec. 4, 5, 8, & 9 T. No 4 N.
R. No. 17. from which a Sugar 10 m in bears
N 45 E 17 links dist; under Beech 18 m " "
N 45 W. 14 " " Land & timber same as the

T. N. 4. N. R. N. 17. 2nd Mer. India^o

East mile

East On a Random line between Sec. 4 & 9 T. N. 4. N. R. N. 17. 2nd Mer.

40.00 Set a trumpet post for the cor to $\frac{1}{4}$ sec

80.00 Intersection the N. P. S. line 8 links South of the post
Set for the cor to Sec. 3, 4, 9, & 10 T. N. 4. N. R. N. 17. 2nd Mer. Lands timber &c same as the last mile;

West Between Sec. 4 & 9 On the true line T. N. 4. N. R. N. 17.

40.00 Set the trumpet post at the corner dish; on the true line for the cor to $\frac{1}{4}$ sec from which a Logwood 6 mi dist bears N 89 E. 34 links dish; and a Persimmon
5 " " " 96 E 14 " "

80.00 To the post Set for the cor to Sec. 4, 5, 8, & 9.

North Between Sec. 4 & 5. T. N. 4. N. R. N. 17.

34.40 To a W. Oak 12 mi dist stands on the line

40.00 Set the post for cor to $\frac{1}{4}$ sec from which a W. Oak 20 mi dist bears N 45 E. 18 links dish; & a L. O
10 " " " 423 W 30 " "

60.80 To a W. Oak 30 mi dist bears on the line

78.90 Intersection the North Boundary 13 links west of the post set for the cor to Sec. 4 & 5 T. N. 4. N. R. N. 17.
from which a Peach 10 mi dist bears S 59 E. 25 links dish; and a L. O 20 " " " 446 W 31 "

West Between Sec. 5 & 8 T. N. 4. N. R. N. 17.

40.00 Set the post for the cor to the $\frac{1}{4}$ sec from which an Ironwood 6 mi dist bears S 73 E. 15 links dish; & a Sugar 20 " " " 535 W 18 " "

45.18 To a B. Oak 12 mi dist stands for the cor to Sec. 5 & 8. On White River T. N. 4. N. R. N. 17.
Lands the same as the last mile

J. No 4 N.R. No 177 2nd Mer. Jan^{ry}

North Between Sec. 31 & 32 J. No 4 N.R. No 177
40.00 Set a post for the cor to the 1/4 sec from which a
Mulberry 12 in dia bears N 28 E 16 links dist; & a
Sugar 10 " " " S 89 E 23 " "
80.00 Set a post for the cor to Sec. 29, 30, 31 & 32 from
which a W. Oak 20 in dia bears N 78 W 18 links dist;
made a W. Oak 8 " " " S 52 E. 10 " "
Land rolling and bushy; Timber Oak, Hickory

East Between Sec. 29 & 32 J. No 4 N.R. No 177 2nd Mer
On a Random line:
40.00 Set a temp. post for the 1/4 sec post.
80.00 Intersected N. & S. line 12 links North of the post set
for the cor to Sec. 29, 30, 31 & 32 Land timber &c
Same as the last mile.

West On true line between Sec. 29 & 32 J. No 4 N.R. No 177
40.00 Set the temp. 1/4 sec post at the av. dist; on true line
for the cor to 1/4 sec from which a Hickory 6 in dia
bears N 43 E. 5 links dist;
80.00 To the post set for the cor to Sec. 29, 30, 31 & 32.

North Between Sec. 29 & 30 J. No 4 N.R. No 177.
40.00 Set a post for the cor to 1/4 sec from which a W. Oak
20 in dia bears N 20 E 10 links dist; made a Do
12 " " " East 15 " "
80.00 Set a post for the cor to Sec. 19, 20, 29 & 30 J. No
4 N.R. No 177. from which a Gum 10 in dia bears
N 45 E. 18 links dist; made a W. Oak 10 " " "
S 45 W. 7 " " Land heavily timbered Oak, Hickory
underbrush, Dogwood & Hickory

East On a Random line between Sec. 20 & 29 J. No 4 N.R.
N 77 2nd Mer
40.00 Set a temp. post for the cor to 1/4 sec
80.14 Intersected the N & S line 8 links North of the cor to sec.

T. N^o 4 N.R. N^o 1 W. 2nd Mer. Indiana

20, 21, 28, & 29 T. N^o 4 N.R. N^o 1 W.
 Same soil trees &c same as the last mile.

West Between Sec. 20 & 29 On true line T. N^o 4 N.R. N^o 1 W.
 40.07 Set the temp. post at the arbor ditch; on true line for
 the cor to $\frac{1}{4}$ sec from which a Buck 12 in dia bears
 N 87 W 11 links ditch; under a Do 12 in " "
 N 18 E 25 in "
 80.14 Set the post for the cor to Sec. 19, 20, 29, & 30

North Between Sec. 19 & 20 T. N^o 4 N.R. N^o 1 W.
 40.00 Set the post for the cor to $\frac{1}{4}$ sec from which a
 Buck 20 in dia bears N 58 E 19 links ditch; & a
 Logwoods 6 in " " S 84 W 7 in "
 80.00 Set a post for the cor to Sec. 17, 18, 19, & 20. From
 which a Logwoods 6 in dia bears S 80 W 5 links
 ditch; under Elm 10 in " " S 24 E 3 in "
 " Same Rich and Rolling

East On a Random line between Sec. 17 & 20 T. N^o 4 N.
 R. N^o 1 W.
 40.00 Set a temp. post for cor to $\frac{1}{4}$ sec
 80.10 Intersected the N 5 line 8 links ^N of sec cor Same
 the same

West Between Sec. 17 & 20 On true line T. N^o 4 N.R. N^o 1 W.
 40.05 Set the temp. post at the arbor ditch; on a true line
 for the cor to the $\frac{1}{4}$ sec from which a Poplar 8 in dia
 bears S 64 W 26 links ditch; under a Logwoods 6 in "
 " N 74 E 47 in "
 80.11 Set the post for the cor to Sec. 18, 17, 19, & 20

North Between Sec. 17 & 18 T. N^o 4 N.R. N^o 1 W.
 40.00 Set the post for the cor to the $\frac{1}{4}$ sec from which a
 Buck 30 in dia bears N 5 E 19 links ditch &
 Do 18 in " " N 75 E 33 in "

T. N. 4. N. R. No 1. W. 2nd Mr. Indav

80.00 Set a post for the cor to sec. 7, 8, 17 & 18 T. N. 4. N. R. No 1. W. from which a Tree 10 in dia bears N 71 E. 23 links dist; and a Poplar 10 n n - S 11 W. 14 n - Lands Rich and Rolling Timber Tree, Poplar, &c many Sunk Holes

East Between Sec. 8, & 17 on a Meridian line T. N. 4. N. R. No 1. W.

40.00 Set a temporary post for cor to 1/4 sec

80.00 Intersected N. & S. line 10 links North of the cor to Sec. 8, 9, 16, & 17. Lands and so forth same as the last mile;

West Between Sec. 8, & 17 on true line T. N. 4. N. R. No 1. W.

40.00 Set the temporary post at the ant dist; on true line for cor to 1/4 sec from which a Tree 8 in dia bears N 73 E. 23 links dist; and a Lo 12 n n - N 47 W. 26 n n -

80.00 To the post set for the cor to Sec. 8, 9, 16 & 17.

North Between Sec. 7 & 8 T. N. 4. N. R. No 1. W.

40.00 Set a post for the cor to sec. 7 from which a Tree 12 in dia bears N 59 E. 11 links dist; and a Lo 12 n n - S 25 E. 34 n n -

60.50 Set a post for the cor to sec. 7 & 8 T. N. 4. N. R. No 1. W. on the Banks of White River from which an Ironwood 7 in dia bears S 21 E. 27 links dist; & a Lo 8 n n - S 42 W. 24 n n - Lands &c same as the last mile

West Between Sec. 30 & 31 T. N. 4. N. R. No 1. W.

40.00 Set a post for cor to 1/4 sec from which a Tree 10 in dia bears N 77 E. 25 links dist; & a Lo 10 n n - S 76 W. 34 n n -

Set a post on the West Boundary 20 links N. of the cor to Sec. 30 & 31 T. N. 4. N. R. No 1. W. from which a White Oak 20 in dia bears N 58 W. 4 links dist; & a

T. N. 4. N. R. N. 17. 2nd Mer. Ind.

W Oak 12 in dia bears S 11 E. 4 links dist;
 Lands Rolling; Timber Oak, Hickory and Buck

West Between Sec 19. & 30 T. N. 4. N. R. N. 17.
 40.00 Set a post for the cor to the 1/4 sec from which a
 W Oak 12 in dia bears N 83 W 12 links dist; &
 Buck 10 " " " S 43 W. 28 " "

84.67 Set a post on the W. 1/2 bound. 98 links N. of
 the cor to Sec 19. & 30 from which a
 Buck 12 in dia bears S 30 E. 24 links dist; & a
 Logwood 6 " " " S 69 W 21 " "
 Lands Rolling; Timber Buck, Poplar & Hickory

West Between Sec. 18 & 19 T. N. 4. N. R. N. 17.
 37.40 To a Sugar 12 in dia stands in the line

40.00 Set a post for the cor to the 1/4 sec from which
 a Buck 10 in dia bears S 84 W 8 links dist;
 & a Gum 18 " " " S 22 E. 28 " "

84.00 Set a post on the West 1/2 bound. 100 links N.
 of cor to Sec. 18 & 19 T. N. 4. N. R. N. 17. from
 which a Buck 12 in dia bears S 23 E. 24 links
 dist; & a Sugar 12 " " " N 10 E. 50 "
 " Lands rich and Rolling

West Between Sec. 7. & 18 T. N. 4. N. R. N. 17.

40.00 Set a post for the cor to the 1/4 sec from which a
 W Oak 24 in dia bears South 7 links dist; & a
 do 8 " " " N 47 W 16 " "

84.12 Set a post on the West bound. 110 links N.
 of the cor to Sec. 7. & 18 T. N. 4. N. R. N. 17.
 from which a Buck 10 in dia bears S 17 W. 9
 links dist; & a Sugar 9 " " " S 10 E. 14 "
 " " Lands to Rich; Timber Oak, Pop-
 lar and Hickory undergrowth Spruce.

East Between Sec 6. & 7 T. N. 4. N. R. N. 17.

T. N^o 4 N.R. N^o 171. 2nd Mex. Ind.^a

- 20.90 To a Black 20 in dia Stands on the line
 35.00 Set a post on the Bank of White River for cor to
 Sec. 6 & 7 T. N^o 4 N.R. N^o 171. From which a
 Buck 14 in dia bears N 88 W. 10 linked dist; to
 Sugar 20 " " " S 18 E. 29 " "
 Lands rolling; Timber Sugar & Buck
 undergrowth. Spruce.

- South Between Sec. 1 & 2 T. N^o 4 N.R. N^o 171
 35.00 To a Buck 10 linked miles; across West
 40.00 Set a post for the cor to 14 Sec from which a
 Hackberry 20 in dia bears N 30 E. 9 linked dist
 to an Elm 15 " " " S 38 W. 21 " "
 70.50 To a Buck 20 in dia Stands on the line
 75.00 To a Buck 10 in dia Stands for cor to Sec. 1 & 2
 on White River Lands rich and level; Timber
 Sugar, Ash, Buck, Hickory & c.

- South Between Sec. 5 & 6 T. N^o 4 N.R. N^o 171
 4.50 To a Spring that sinks
 40.00 Set a post for the cor to 14 Sec from which a
 Buck 10 in dia bears N 46 W. 4 linked dist; to a
 Do " " " " N 60 E. 27 " "
 75.00 To a pond.
 80.00 In the ponds land very rich; Rolling; Timber
 Mulberry, Poplar, & Sugar & c.

- West On true line between Sec. 6 & 7 T. N^o 4 N.R. N^o 171
 35.00 To the West side of the pond; covered with brush
 40.00 Set a post for cor to 14 Sec
 40.80 To a Black Oak 20 in dia Stands on the Bank of
 White River

- South Between Sec. 7 & 8 T. N^o 4 N.R. N^o 171
 8.50 South side of the brushy ponds.
 1232 Set a post on the Bank of White River for the

T. N^o 4 MR N^o 17. 2nd Mer Ind^o

cor to Sec^o 7 & 8 T. N^o 4 MR N^o 17 from
which a Buck 6 in dia bears N. 21 W. 9 like
dish; to Vergmado 6 u - - S 30 E. 6 u -

East Between Sec^o 5 & 8. T. N^o 4 MR N^o 17

20.00 To the East side of the pond

26.85 Set a post on the bank of White River for the
cor to Sec^o 5 & 8. from which a
Buckey 8 12 in dia bears S E 11 links dish;
to McCash 10 u - - N 1 W 11 u -

South Between Sec^o 2 & 3. T. N^o 4 MR N^o 17

22.50 Set a post on the Bank of White River

T. N. 4 N. R. N. 17 W 2nd Mer Ind.

Meanders of White River in T. N. 4 N. R. N. 17 W
Commenced on the Range line (left bank of R)
between R. S. W. 2, 3rd at the Ly cunore for cor to Sec.
1 & 6. thence up the River

- 430 E. 23.50 To 1st
- 436 E 19.00
- 824 E. 20.00 To the post on line between Sec 6 & 7
- 436 E 27.00
- 469 E 17.20
- N 89 E 11.20 To the post on the line between Sec. 7 & 8
- N 89 E 12.00
- N 58 E 14.00
- N 44 E 17.00 To the post on the line between Sec. 5 & 8
- N 24 E 22.30
- N 14 E. 48.30
- N 10 W 13.50 To the post on the N Boundary between Sec. 5 &
32 T. N. 4 S. R. N. 17 W.

Meanders of the left Bank Continued from
the cor on the N Boundary of T. N. 4 N. R. N. 17 W
between Sec 3 & 34

- 434 E. 36.00 To a brook 25 M. miles:
- 467 E. 16.00
- N 78 E 18.50 To the cor to Sec. 2 & 3.
- 481 E 14.50
- 423 E 51.00
- 435 E 16.50 To the post on the line between Sec 11 & 12
T. N. 4 N. R. N. 17 W
- 456 E 27.50
- 475 E 33.50
- N 47 E 17.00
- N 23 E 22.00
- N 45 E 5.20 To the cor on the Range line between R. S.
1 E & 17 W. & Sec 1 & 6.

Meanders of White River in T. N. 4 N. R. N. 17 W
Right Bank up stream

T. N^o 4. RR N^o 144 2nd Mer. Ind^a.Commenced at the post on the line between Sec
156. and R^s 1.00 West

G 49 E. 3.00

G 31 E. 12.50

G 28 E. 11.50

G 31 E. 6.00

G 35 E. 18.50

G 28 E. 16.00

G 21 E. 8.00

G 39 E. 4.50

G 32 E. 7.50 To the post on the line between Sec. 6 & 7.

G 61 E. 16.00

G 73 E. 8.00

G 82 E. 16.00

East 4.05 Commenced to Sec. 7 & 8 T. N^o 4. RR N^o 144.

N 83 E. 13.00

N 61 E. 9.50

N 54 E. 8.67 To the post on the line between Sec. 5 & 8.

N 37 E. 10.00

N 21 E. 10.50

N 11 E. 13.00

N 18 E. 17.00

N 16 E. 6.00

N 11 E. 19.50

N 11 W. 8.32 To the post on the North Boundary of T. N^o 4.
R. N^o 177. between Sec. 5 & 32From the post on the Town line between Towns
4 & 5 RR N^o 177. between Sec. 3 & 34

G 26 E. 8.00

G 32 E. 15.50

G 48 E. 9.50

G 76 E. 6.50

N 79 E. 9.00

N 70 E. 7.00

N 79 E. 3.60 To the post on the line between 2 & 3.

N 72 E. 7.50

T. N^o 4 N R N^o 17th 2nd Mer Ind^a.

N80 E. 6.50

N77 E. 11.00

N83 E. 10.50

S89 E. 4.00

S80 E. 6.00

S72 E. 9.50

S47 E. 6.00

S29 E. 6.00

S22 E. 14.50 To at 300 to 25 Mts mid

S22 E. 14.30

S29 E. 18.90 To the post on the line between Sec 1 & 2

S40 E. 10.00

S51 E. 14.50

S60 E. 10.00

S70 E. 12.50

S76 E. 14.50

N53 E. 7.50

N30 E. 9.00

N27 E. 10.00

N33 E. 14.00

N42 E. 8.70 To the post on the Range line between Sec 1 & 6. T. N^o 4 N R 1 E & 17th.2nd Meridian LineNorth On the 2nd Mer between Towns 4 & 4 N R^o 1 E & 17th in the East line; of sec 36. T. N^o 4 N R N^o 17th

40.00 Set a post for the cor to 14 sec from which a 13. Oak 20 in dia bears S35 E. 25 linked disk; & a Hewitt 10 " " " " N25 E. 8 " " "

80.00 Set a post for the cor to sec. 25. & 36 T. N^o 4 N R N^o 17th 2nd Mer from which a Hewitt 15 in dia bears S27 E. 24 linked disk; & a No 6 " " " " S28 N 12 " " " " Over level Oak and Hewitt Land; Thin soil very bushy Variation 6° 30'

T. N^o 4 M.R. N^o 1st W. 2nd Mer. Ind^o

- North Continued the 2nd Mer. on the East boundary of
T. N^o 4 M.R. N^o 1st W. East side of sec 25
- 5.00 To a Brook 20 links wide; Course East.
- 20.20 " " 73 Walnut 20 in dia stands in the line.
- 30.00 To a Brook 10 links wide; Course East
- 40.00 Set a post for the cor to 1/4 sec from which an
Elm 10 in dia bears S 30 W. 7 links dist; & a
Sugar 12 " " N 7 E. 34 " "
- 44.25 To a Poplar 20 in dia stands in the line.
- 80.00 Set a post for the cor to Sec. 24 & 25

- North Continued the 2nd Mer. on the East Boundary
of T. N^o 4 M.R. N^o 1st W. East side of sec 25
- 110.00 Set a post for the cor to the 1/4 sec from which a
Hickory 10 in dia bears S 7 E. 22 links dist; & a
Do 11 " " " N 32 W. 33 " "
- 80.00 Set a post for the cor to Sec. 24 & 25. T. N^o 4
M.R. N^o 1st W. 2nd Mer. from which a
Hickory 8 in dia bears S 31 E. 34 links dist; & a
Poplar 8 " " " N 49 E. 19 " "
Sands and timber the same as the last mile.

- North Continued the 2nd Mer. on the East Boundary
of T. N^o 4 M.R. N^o 1st W. East side of sec 24
- 20.00 To a W Oak 15 in dia stands in the line.
- 40.00 Set a post for the cor to 1/4 sec from which a
Elm 10 in dia bears S 38 W. 35 links dist; & a
Do 10 " " " N 83 E. 35 " "
- 70.05 To a W Oak 12 in dia stands in the line.
- 80.00 Set a post for the cor of Sec. 13 & 24 T. N^o 4 M.
R. N^o 1st W. 2nd Mer. from which a W Oak
19 in diam. bears S 84 E. 8 links dist; & a Do
19 " " " N 23 W. 26 " "
Sands and timber mostly the same as the last
mile

T. N. 4 N. R. N. 17. 2nd Mer. (Ind. 2)

North Continued the 2nd Mer. on the East Boundary of
T. N. 4 N. R. N. 17. East side of Sec 13

5.00 To a Black 20 limbs wide; Cornice East.

21.20 " " 73 Walnut 20 in dia stands in the line

30.00 To a Black 20 limbs wide; Cornice East

40.00 Set a post for the cor to the 1st sec from which
an Elm 10 in dia bears S 30 W 7 the dist: 1 a

Sugar 12 n " " N 7 E. 34 n "

44.25 To a Poplar 20 in dia stands in the line

80.00 Set a post for the cor to Sec. 12 & 13 T. N. 4 N.
R. N. 17. 2nd Mer. from which a W. Oak 24
in dia bears S 17 E. 34 limbs dist; and Hick 12

n " " N 62 W. 14 n "

Land and timber &c same as the last mile

North Continued the 2nd Mer. on the East Boundary of
T. N. 4 N. R. N. 17. on E. side of Sec 12

40.00 Set a post for the cor to Sec 12 from which a
Sugar 10 in dia bears S 3 E. 17 the dist; & a

Do 10 n " " N 1 E. 27 n "

80.00 Set a post for the cor. to Sec. 1 & 12 T. N. 4 N.
R. N. 17 from which a Buck 20 in dia bears

S 52 W. 10 limbs dist; & a Do 20 n " "

N 21 W 25 " " Over good lands; timber
Buck, Poplar, Oak & Hick

North Continued the 2nd Mer. on the East Boundary
of T. N. 4 N. R. N. 17. east side of Sec 1.

1.50 Set a post on the Left Bank of White River for
cor to Sec. 1. T. N. 4 N. R. N. 17. from which a
Buck 10 in dia bears S 54 E 10 limbs dist; & a
Sugar 10 n " " S 42 W. 12 n "

13.50 Set a post on the Right Bank of White River
for the cor to Sec 1. T. N. 4 N. R. N. 17. from which
a W. Oak 20 in dia bears S 53 W. 21 limbs dist;
1 a Sugar 10 n " " N 32 W 15 n "

T. N^o 4 N. R. N^o 17th. 2nd Mer. Ind^a

- 40.00 Set a post for the cor to $\frac{1}{4}$ sec from which a
 Buck 10 in dia bears S 21 E. 16 lbs with; it a
 L^o 10 n e n S 82 E 12 n n
- 80.00 Set a post for the cor to Towns N^o 4. & 4. &
 5 & 5 in Ranges 1 East & 1 West 2nd Mer.
 from which a Sugar 12 in dia bears S 16 E. 31
 lbs with; it a L^o 10 n e n S 61 W 18
- n n Lands timber & so same as the last mile.

South Boundary Var. 6th 30'

- East On a Random line between Towns 3 & 4. & on
 the S Boundary of Sec. 31. T. N^o 4 N. R. N^o 17th
- 40.00 Set a temporary post for the cor to $\frac{1}{4}$ sec
- 80.00 n n n n n n to Sec. 31. & 32. T.
 N^o 4 N. R. N^o 17th. This mile over good farming
 lands; mostly spruce

- East On a Random line between Towns 3 & 4 N. R. N^o
 17th. & on the South side of Sec 32. T. N^o 4 N. R. N^o 17th.
- 40.00 Set a temporary post for the cor to $\frac{1}{4}$ sec
- 80.00 Set n n n n n n to Sec. 32. & 33. T. N^o
 4 N. R. N^o 17th. 2nd Mer. This mile over brushy
 lands; timber Oak, & Hardwood

- East On a Random line between Towns 3 & 4 N. R. N^o
 17th. on the South side of Sec 33. T. N^o 4 N. R. N^o 17th
- 40.00 Set a temporary post for the cor to $\frac{1}{4}$ sec
- 80.00 n n n n n n Sec. 33 & 34. T. N^o
 4 N. R. N^o 17th. 2nd Mer. Lands the same
 as the last mile.

- East On a Random line between Towns 3 & 4 N. R.
 N^o 17th. on the South side of Sec 34. T. N^o 4 N.
- 40.00 Set a temporary post for the cor to $\frac{1}{4}$ sec
- 80.00 n n n n n n Sec. 34 & 35. T.
 N^o 4 N. R. N^o 17th. Lands timber & so same; mostly S. Hardwood

T^N 44 N^R 17^W 2nd Mer Ind

West In true line between Towns 3 & 4 N^R 17^W.
2nd Mer. on the South Boundary of 34

40.00 Set the temporary post at the corner dist; on true line for cor to $\frac{1}{4}$ sec from which a W Oak 24 in dia bears N 65 E. 35 like dist; and a W Oak 24 in dia bears N 11 W. 14 in dia

80.00 Set the temporary post on true line for cor to Sec. 33 & 34
T^N 44 N^R 17^W from which a Hick 12 in dia bears West 58 like dist; &c

West In true line between Towns 3 & 4 N^R 17^W.
2nd Mer on South Boundary of Sec 33.

40.00 Set the temporary post on the true line from which a W Oak 10 in dia bears N 10 E. 23 like dist; &c
Oak 9 in dia bears S 30 W. 31 in dia

80.00 Set the temporary post on the true line for the cor to Sec.
32 & 33 T^N 44 N^R 17^W from which a Gum 10 in dia stands S 78 E 16 like dist; and a W Oak 24 in dia bears S 25 E. 18 in dia

West In true line between Towns 3 & 4 N^R 17^W.
2nd Mer on the South Boundary of Sec 32

40.00 Set the temporary post on the true line for the cor to $\frac{1}{4}$ sec from which a Hick 6 in dia bears N 76 W 5 like dist; and a Gum 6 in dia bears S 70 E 12

80.00 Set the temporary post at the true line for the cor to $\frac{1}{4}$ sec from which a Hick 12 in dia bears S 32 W 9 like dist; &c Logwood 6 in dia bears N 3 E. 12 in dia

West In true line between Towns 3 & 4 N^R 17^W.
2nd Mer on South Boundary of Sec. 31

40.00 Set the temporary post on the true line for the cor to $\frac{1}{4}$ sec from which a W Oak 12 in dia bears S 38 W. 18 like distant

137
123

T N^o 4 NRP N^o 177 2nd Mer. Ind^a.

86.00 To the post set for the cor to Jones 3, 3. + 4.4
NRP N^o 177

North Boundary

West On Random line between Jones 445 in R. N^o 177
2nd Mer on the North side of Sec 1

10.00 To a B. rock 12 miles into, across South

40.00 Get the tumpet post for the cor to 1/4 sec

80.00 Get the tumpet post for the cor to 1/4 sec 1st 2 T N^o
4 NRP N^o 177 2nd Mer. Lands rolling timber
Buck, Ash, & Sugar

West On Random line between Jones 445, NRP 177
2nd Mer. on the North side of Sec 2.

40.00 Get the tumpet post for the cor to 1/4 sec.

55.50 To a Spring South

80.00 Get the tumpet post for the cor to sec. 2 & 3 T N^o 4
NRP N^o 177 2nd Mer. Lands timber, &c same as
the last mile

West On Random line between Jones 445, NRP N^o 177.
2nd Mer. on the North side of Sec 3

40.00 Get a tumpet post for the cor to 1/4 sec

144.00 To White River

80.00 Get a tumpet post for the cor to sec. 3 & 4. T N^o
4 NRP N^o 177. Lands rolling timber Oak, Hickory
and some Poplar &c

West On true line between Jones 445 NRP N^o 177. 2nd Mer.
on the North side of Sec 4.

40.00 Get a tumpet post for the cor to 1/4 sec

80.00 Get a - - - - - sec. 4 & 5 T N^o 4
NRP N^o 177 Lands, timber, soil &c same as the
last mile

West Continued On true line between Jones 514 NRP N^o 177

T. N. 4 N. R. No 177 2nd Mer Ind. a.

45 T. N. 4 N. R. No 177. From which a Buck 12
in air bears East 45 miles dist; and a 20 18
a u u N 57 W 22 u u

East On true line between Towns 45 N. R. No 177. 2nd
Mer on the North Boundary of Sec 4

40.00 Set the temporary post on the true line for cor to 74 sec from
which a Hickory 8 in air bears N 40 E. 28 miles dist;
and a Gum 18 u u u N 37 W 12 u u

80.00 Set the temporary post at the corner with true line for the
cor to Sec. 34 T. N. 4 N. R. No 177 from which a
Log 10 in air bears S 85 E. 25 miles dist; & a
20 of u u u N 55 W 13 u u

East On true line between Towns 45 N. R. No 177.
in the North side of Sec. 3.

27.00 Set a post on the left Bank of White River for the cor to
Sec 34 T. N. 4 N. R. No 177. From which an Elm
10 in air bears N 21 W 10 miles dist; & an Elm
6 u u u S 60 E. 10 u u

36.00 Set a post on the Right Bank of White River for the cor
to Sec. 34 T. N. 4 N. R. No 177 from which a
Poplar 6 in air bears N 80 W 15 miles dist; and a
Buck 10 u u u S 10 E. 16 u u

40.00 Set the temporary post on true line for the cor to 74 sec from
which a Buck 12 in air bears N 65 E. 10 miles dist; & a
20 6 u u u S 65 W 12 u u

80.00 Set the temporary post at the true line for the cor to Sec.
203. T. N. 4 N. R. No 177 from which a Log 10 in air
bears N 68 E 17 miles dist; & a Buck 10
u u u N 48 W 12 u u

East On true line between Towns 45 N. R. No 177 2nd
Mer on the North Boundary of Sec 2

40.00 Set the temporary post on the true line for the cor to the 74
sec from which a Poplar 10 in air bears S 52 E 19 1/2

Town N^o 4 MR N^o 17 2nd Mer.

linked ditch; under 1/2 Buck 12 m in line N. 10 E 14

80.00 Set the timber post on true line for the cor to Sec.
112 T^o N^o 4 MR N^o 17 from which a Town
10 m in line S 85 E. 21 linked ditch; & a 120
8 u u u S 76 W 16 u u

East On true line between Towns 445 MR N^o 17
2nd Mer on the N. Side of Sec 1.

40.00 Set the timber post on the true line for the cor to 1/4 Sec
from which on Iron rods 9 m in line N 71 E. 19 the
ditch; under a W Oak 20 u u u S 44 W 26 u

80.00 Set the post for the cor to Town 445 T^o R. 17 N. 14
S R. 1 E. 2nd Mer. And u.

West Boundary

North Between Ranges 1 & 2 T^o 2nd Mer. S. Side

40.00 Set the post for the cor to 1/4 Sec from which u —
post on thickets on a very high Hill

80.00 Set a post for the cor to Sec. 25 & 36. T^o N^o 4 MR
N^o 27 from which a 1/2 Buck 6 m in line N 65 W 7
linked ditch; under a W Oak 10 u u u N 4 E 14
u u u Very heavy brushy land; Timber Log
wood Oak, Hickory

North Between Towns 4 & 4. MR N^o 18 W.

3.75 To a W. Oak 10 m in line stands on the line

40.00 Set the 1/4 Sec post for the cor to the 1/4 Sec from which
a W Oak 30 m in line S 36 E. 20 linked ditch; under
1/2 Buck u u u N 18 W. 11 u u

80.00 Set the post for the cor to Sec. N^o 24 & 25 T^o N^o 4
MR N^o 27 from which a W Oak 12 m in
line S 24 W. 35 linked ditch; & a Sugar 10 u u
u South 10 u u Over very good farm-
ing land; Timber Sugar, Oak, Poplar

T. No 4 N.R. No 1 W 2nd Mer Ind.

under trust Spec;

North Between Ranges 1 & 2. & between Towns 4 & 4
6.90 To a Hickory 20 in dia stands in the line
40.00 Get a post for the cor to 1/4 sec from which a
Hickory 8 in dia bears S 35 W 27 linked dist; & a
Y Buck 12 in " " N 36 W 24 " "
80.00 Set a post for the cor to sec. 13 & 24 T. No 4 N.R. No
3 W from which a Sugar 10 in dia bears S 61 W 25
linked dist; under Y Buck 10 in " " " N 51 W 15
" " Land soil timber &c same

North Between Ranges 1 & 2 W. between Towns 4 & 4
40.00 Set a post for the cor to 1/4 sec from which a Y Buck 15
in dia bears S 18 E. 40 linked dist; under Gum 20
" " " S 41 W 15 " "
80.00 Set a post for the cor to sec. N 12 & 13 T. No 4 N.R.
N 12 & 13 from which a Y Buck 10 in dia bears
N 86 W 26 linked dist; ran Elm 10 in " "
N 57 W 30 " " Land soil & timber same

North Between Ranges 1 & 2 & between Towns 4 & 4
40.00 Set the post for the cor to the 1/4 sec from which a
W Walnut 10 in dia bears S 5 E. 27 linked dist; & a
do 10 in " " " S 64 W 15 " "
80.00 Set a post for the cor to sec 1 & 13 T. No 4 N.R. No
1 W from which a Y Buck 6 in dia bears S 6 E 13
linked dist; under an Elm 20 in " " " S 10 W 19
" " Land timber &c the same as the last mile

North Between Towns 4 & 4. & Ranges 1 & 2
40.00 Set the post for the cor to 1/4 sec from which a
Y Buck 6 in dia bears S 36 E. 5 the dist; & a
do 5 in " " " S 37 W 27 " "
63.50 To a Sycamore 23 in dia stands in the line.
72.95 To a Y Buck 10 in dia stands in the line & in the N.

T. N^o 4. M. N^o 19. 2nd Mar

4 Buels of W. Virgin cor to Sec. 1 & 12. T. N^o
4 & 4. N^o 1827.

80.00 Let a Grant for the cor to Towns 4 & 4. & 5 & 5
in Range 1 & 2 W. from which a 4 Buels 20
in div. line N 10 W. 37 links dist; to Co. C
" " " S 56 E 11 " "

I certify that the foregoing Transcripts of the field
notes of Township N^o 4 North of Range N^o 1 West
of the 2nd Meridian Indiana, has been compared with
the Original notes in this Office, and found to be
correct.

Surveyor General's Office
Cincinnati April 7 1841

E. S. Gaines
Sur. Genl.